

Kayatec[®]

Dünya için üretiyoruz...

Kayatec

Ürün Katalođu
Product Catalog

HAKKIMIZDA

1998 Yılında Kaya Asansör olarak faaliyete başlamıştır. 2002 yılında ünvanımız Kaya Asansör Elek.Rek.ve Dış Tic.San.Ltd.Şti. olarak değişmiştir.

Başlangıçta bi-stabil manyetik şalter ve revizyon kutusu üretimi ve satışı konusunda faaliyet göstermekte iken 2004 yılında asansör butonyeri üretimine başlamıştır. Üretim yelpazesi ve kalitesini her geçen gün artıran Kaya Asansör hizmet verdiği müşterilerinin istek ve önerilerini yerine getirmek için var gücüyle çalışmaktadır.

Firmamız ayrıca gelişen teknolojiyi yakından takip ederek sektörümüz ile ilgili geliştirilen ve kabul edilen normları yerine getirmeye çalışmaktadır.

İMALAT POLİTİKASI

Kaya Asansör kaliteli ve güvenilir ürün üretilmesi prensibiyle çalışmaktadır. Bizler, ürettiğimiz ürünlerin imalattan tüketiciye ulaşıncaya kadar ki süreci dikkatlice takip etmekte üretimin her aşamasında uyguladığımız kalite politikası ve standartları satış sonrası hizmet ve müşteri memnuniyeti ilkeleriyle Türk sanayi ve ekonomisinin gelişiminde rol almak istemekteyiz.

KALİTE POLİTİKASI

- Ürünlerimizi müşteri gereksinimleri doğrultusunda ulusal, uluslararası standart ve 95/16 at "CE" direktifine uygun üretmek,
- Sürekli gelişme bilincinde olmak,
- Üst kademenin belirlediği hedefler doğrultusunda ilerlemek,
- Personelin eğitim düzeyini yükseltmek,
- Daha verimli ve uygun çalışma ortamı sağlamak,
- Üretim miktar ve kalite düzeyini sürekli yükselterek pazardaki rekabet gücümüzü artırmaktır.

" Kalitemiz, servisimiz ve dostluğumuz ile bugün yarın ve daima sizlerin yanındayız."

Saygılarımızla;
Kaya Asansör

ABOUT US

Kaya Elevator Company has been founded in 1998 and it's name has changed as Kaya Elevator Electronic Advertisement and Foreign Trade Limited Company in 2002. Initially, it has served in bi-stable magnetic power switch and revision box production and sales, it has started to produce lift buttons in 2004. Kaya Elevator Company, which increases the product range and quality day by day, strive in order to meet the demands and offers of customers which it serves. The firm, also, follows closely the developing technology and tries to carry out the developed and accepted norms about the sector

MANUFACTURE POLICY

The support from workers and customers, the company carries on developing and growing bigger day by day with our high quality service.

QUALITY POLICY

- Goods are produced, according to customers needs, both national and international standards and suitable to 95/16 at "CE" directive,
- To have the consciousness of steady development,
- To proceed in the direction fixed by the higher rank,
- To improve education level of the personnel high,
- To provide a more efficient and favourable working environment,
- To increase the company's competition power in the market by continuously boosting the production quantity and quality.

"With our quality, service and friendliness we are always near to you"

With our best regards,
Kaya Elevator Company

İçindekiler / Contents

SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ	5
SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS.....	5
SIVA ÜSTÜ KAT BUTONYERLERİ	6
SURFACE MOUNT LANDING OPERATION PANELS.....	6
SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ	7
SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS.....	7
SIVA ÜSTÜ KAT BUTONYERLERİ	8
SURFACE MOUNT LANDING OPERATION PANELS.....	8
SIVA ÜSTÜ KAT BUTONYERLERİ	9
SURFACE MOUNT LANDING OPERATION PANELS.....	9
SIVA ÜSTÜ KAT BUTONYERLERİ	10
SURFACE MOUNT LANDING OPERATION PANELS.....	10
KAPI ÜSTÜ GÖSTERGELER	11
LANDING INDICATOR PANELS.....	11
KAT BUTONYERLERİ	12
LANDING OPERATION PANELS.....	12
KABİN BUTONYERLERİ VE KAPI ÜSTÜ GÖSTERGELER	13
CAR OPERATION PANELS & LANDING INDICATOR PANELS.....	13
SIVA ÜSTÜ KAT BUTONYERLERİ	14
SURFACE MOUNT LANDING OPERATION PANELS.....	14
SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ	15
SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS.....	15
SIVA ÜSTÜ KAT BUTONYERLERİ	16
SURFACE MOUNT LANDING OPERATION PANELS.....	16
SIVA ÜSTÜ KABİN BUTONYERLERİ	17
SURFACE MOUNT CAR OPERATION PANELS.....	17
KAT BUTONYERLERİ	18
LANDING OPERATION PANELS.....	18
KAT BUTONYERLERİ	19
LANDING OPERATION PANELS.....	19
KAPI ÜSTÜ GÖSTERGELER	20
LANDING INDICATOR PANELS.....	20
KABİN BUTONYERLERİ	21
CAR OPERATION PANELS.....	21
KABİN BUTONYERLERİ	22
CAR OPERATION PANELS.....	22
KABİN BUTONYERLERİ	23
CAR OPERATION PANELS.....	23
KABİN BUTONYERLERİ	24
CAR OPERATION PANELS.....	24
SIVA ÜSTÜ KAT BUTONYERLERİ	25
SURFACE MOUNT LANDING OPERATION PANELS.....	25
SIVA ÜSTÜ KABİN VE KAT BUTONYERLERİ	26
SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS.....	26
KABİN VE KAT BUTONYERLERİ	27
CAR OPERATION PANELS & LANDING OPERATION PANELS.....	27
SIVA ÜSTÜ KABİN BUTONYERLERİ	28
SURFACE MOUNT CAR OPERATION PANELS.....	28
DOKUNMATİK KABİN BUTONYERLERİ	29
TOUCH GLASS CAR OPERATION PANELS.....	29
DOKUNMATİK CAM BUTONYERLER	30
TOUCH GLASS OPERATION PANELS.....	30
BUTONLAR	31
BUTTONS.....	31
GÖSTERGE ÇEŞİTLERİ & OPSİYONEL PARÇALAR	32
INDICATOR TYPES & OPTIONAL PARTS.....	32
GÖSTERGE ÇEŞİTLERİ & OPSİYONEL PARÇALAR	33
INDICATOR TYPES & OPTIONAL PARTS.....	33
ARCODE SERİ HABERLEŞME SİSTEMİ	34
ARCODE SERIAL COMMUNICATION SYSTEM.....	34
MANYETİK ŞALTER	35
MAGNETIC SWITCH.....	35

BUTONYER ÖZELLİKLERİ

- 304 Paslanmaz çelik kapak.
- Tüm elemanlar kapağa montajlı.
- Paslanmaz basma alanı.
- Tactile ve mikro siviç buton.
- Kabartma rakam ve harfler. (işaretlemeler)
- Aydınlatma uzun ömürlü 12 / 24 v. Led (kırmızı, mavi, yeşil, beyaz)
- Homojen aydınlatma.
- 20-30-38mm 7segment display. (yön okları, servis dışı, meşgul) 12/24 v.
- 30-50mm dot matrix display. (opsiyonel)
- Mavi - beyaz grafik LCD Gösterge (opsiyonel)
- Mavi - beyaz alfanumerik LCD Gösterge (opsiyonel)
- TFT LCD ekran (opsiyonel)
- Dayanıklı akrilik gösterge pencereleri.
- Plastik kutu veya galvaniz metal kutu.

OPERATION PANEL SPECIFICATION

- 304 grade stainless steel cover
- All components mounted to the cover
- Stainless press area
- Tactile switch and micro switch buttons models
- Emboss numbers and letters (signs)
- Long-Life and neglected lighting (red, blue, green, yellow, white)
- Homogen lighting
- 20-30-38mm 7 segmented display (direction arrows, out of order, busy) 12v/24v led (red, blue, green, white)
- 30-50mm dot matrix display (optional)
- Blue-white graphic LCD screen (optional)
- Blue-white alphanumeric LCD screen(optional)
- TFT LCD screen (optional)
- Hardy acrylic screen
- Plastic box or galvaniz metal box



E SERİSİ / SERIES

SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ
SURFACE MOUNT LANDING OPERATION PANELS & LANDING INDICATOR PANELS

E 210 MD Kapak (Cover) : 93*200*25mm



E 215 Kapak (Cover) : 93*200*25mm



E 210 Kapak (Cover) : 93*200*25mm



E 220 Kapak (Cover) : 93*200*25mm



E 145 X



Kapak (Cover)
80*250*17mm

E 155 X




Kapak (Cover)
80*250*17mm

E 160 X



Kapak (Cover)
80*250*17mm



E 110



Kapak (Cover)
80*160*17mm

E 120



Kapak (Cover)
80*160*17mm

E 145



Kapak (Cover)
80*200*17mm

E 145 MD



Kapak (Cover)
80*200*17mm

E 155



Kapak (Cover)
80*200*17mm

E 160



Kapak (Cover)
80*200*17mm

SIVA ÜSTÜ KAT BUTONYERLERİ
SURFACE MOUNT LANDING OPERATION PANELS

T 110



Kapak (Cover) : 80*220*10mm

T 120



Kapak (Cover) : 80*220*10mm

T 145



Kapak (Cover) : 80*220*10mm

T 155



Kapak (Cover) : 80*220*10mm

T 155 X



Kapak (Cover) : 80*220*10mm

T 145 X



Kapak (Cover) : 80*220*10mm



T SERİSİ / SERIES

SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ
SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS

T 210



Kapak (Cover) : 80*220*10mm



T 600 A



T 520 MD



Kapak (Cover)
185*1000*21mm

Kapak (Cover)
185*2000*21mm

SIVA ÜSTÜ KAT BUTONYERLERİ
SURFACE MOUNT LANDING OPERATION PANELS

S 110



Kapak (Cover):90*220 *25 mm

S 120



Kapak (Cover):90*220 *25 mm

S 145 MD



Kapak (Cover):90*220 *16 mm

S 145




Kapak (Cover):90*220 *25 mm



SIVA ÜSTÜ KAT
BUTONYER ÖZELLİKLERİ

- 304 kalite paslanmaz çelik kapak.
- Tüm elemanlar kapağa montajlı.
- Paslanmaz basma alanı.
- Tactile ve mikro siviç buton.
- Kabartma rakam ve harfler. (işaretlemeler)
- Aydınlatma uzun ömürlü 12 / 24 v. Led. (kırmızı, mavi, yeşil, beyaz)
- Homojen aydınlatma.
- 20- 30mm 7 segment display. (yön okları, servis dışı, meşgul) 12/24V. (kırmızı, mavi, yeşil, beyaz)
- 30mm dot matrix display. (opsiyonel)
- Mavi – beyaz grafik LCD Gösterge (opsiyonel)
- Mavi – beyaz alfanumerik LCD Gösterge (opsiyonel)
- Dayanıklı akrilik gösterge pencereleri.
- Yüze kolay montaj

S 145 BD



Kapak (Cover):90*220 *25 mm

S 160



Kapak (Cover):90*220 *25 mm

SIVA ÜSTÜ KAT BUTONYERLERİ
SURFACE MOUNT LANDING OPERATION PANELS



Kapak (Cover):100*250 *25 mm

Kapak (Cover):100*250 *25 mm

Kapak (Cover):100*250 *25 mm

Kapak (Cover):100*250 *25 mm



**SURFACE MOUNT LANDING
OPERATION PANEL
SPECIFICATION**

- 304 grade stainless steel cover.
- All components mounted to the cover.
- Stainless press area.
- Tactile switch and micro switch button models.
- Emboss numbers and letters. (signs)
- Long-Life and neglected lighting 12/24 v. Led. (red, blue, green, yellow, white)
- Homogen illuminating.
- 20-30mm 7 segment display. (direction arrows, out of order, busy) (red, blue, green, yellow, white)
- 30mm dot matrix display. (optional)
- Blue-white graphic LCD screen. (optional)
- Blue-white alphanumeric LCD screen. (optional)
- Resistant acrylic screen.
- Easy surface mounting.



Kapak (Cover):100*250 *25 mm

Kapak (Cover):100*250 *25 mm

S SERİSİ / SERIES DUBLEX

SIVA ÜSTÜ KAT BUTONYERLERİ SURFACE MOUNT LANDING OPERATION PANELS

S 250 A



Kapak (Cover):170*275 *25 mm

S 260



Kapak (Cover):170*275 *25 mm

S 270



Kapak (Cover):170*275 *25 mm



S 250 BD



Kapak (Cover):170*275 *25 mm

S 260 MD



Kapak (Cover):170*275 *25 mm

S 270 BD



Kapak (Cover):170*275 *25 mm

KAPI ÜSTÜ GÖSTERGELER LANDING INDICATOR PANELS

KAPI ÜSTÜ GÖSTERGE ÖZELLİKLERİ

- 304 kalite paslanmaz çelik kapak.
- Tüm elemanlar kapağa montajlı.
- Homojen aydınlatma.
- 38mm 7segment display. (yön okları) (kırmızı, mavi, yeşil, sarı ,beyaz)
- 30mm dot matrix display. (opsiyonel)
- Mavi – beyaz grafik LCD Gösterge (opsiyonel)
- Mavi – beyaz alfanumerik LCD Gösterge (opsiyonel)
- Dayanıklı akrilik gösterge pencereleri.
- Yüzeyle kolay montaj,


LANDING INDICATOR PANELS SPECIFICATION

- 304 grade stainless steel cover.
- All components mounted to the cover.
- Homogen illuminating.
- 38mm 7 segment display. (direction arrows) (red, blue, green, yellow, white)
- 30mm dot matrix display. (optional)
- Blue-white graphic LCD screen. (optional)
- Blue-white alphanumeric LCD screen. (optional)
- Resistant acrylic screen
- Easy surface mounting.

SD 200



Kapak (Cover):90*220 *40 mm



SD 210



Kapak (Cover):90*220 *40 mm

SD 220



Kapak (Cover):90*220 *40 mm

SD 210 MD



Kapak (Cover):90*220 *40 mm

SD 225



Kapak (Cover):90*220 *40 mm

SD 215



Kapak (Cover):90*220 *40 mm

SLD 230



Kapak (Cover):100*250 *40 mm


KAT BUTONYERLERİ
LANDING OPERATION PANELS



Kapak (Cover) :90*350mm
Kutu (Box) :70*270mm



Kapak (Cover) :90*350mm
Kutu (Box) :70*270mm



Kapak (Cover) :90*390mm
Kutu (Box) :70*310mm



Kapak (Cover) :90*390mm
Kutu (Box) :70*310mm



Kapak (Cover) :180*350mm
Kutu (Box) :140*270mm



Kapak (Cover) :180*350mm
Kutu (Box) :140*270mm



Kapak (Cover) :180*390mm
Kutu (Box) :140*310mm



Kapak (Cover) :180*390mm
Kutu (Box) :140*310mm

P SERİSİ / SERIES

KABİN BUTONYERLERİ VE KAPI ÜSTÜ GÖSTERGELER CAR OPERATION PANELS & LANDING INDICATOR PANELS

P 150



Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm

P 120



Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm

P 520



P 520 DM



Kapak (Cover) : 180*1000mm
Kutu (Box) 1 : 140*910mm
Kutu (Box) 2 : 160*910mm

P 600



P 600 DM





Kapak (Cover) :180*1980mm
Kutu (Box)1 :140*1890mm
Kutu (Box)2 :160*1890mm



FLEX - FR SERİSİ / SERIES

SIVA ÜSTÜ KAT BUTONYERLERİ SURFACE MOUNT LANDING OPERATION PANELS



FLEX - FR SERİSİ / SERIES



SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS



FR 220




Kapak (Cover) : 180*126*46mm



FR 990 DM

Kapak (Cover) : 1000*126*46mm



FR 520 MD



Kapak (Cover)
210*1000*21mm

FR 600 A



Kapak (Cover)
210*2000*21mm

EN
81-70




Engelliler dahil yolcu asansörleri için erişilebilirlik
This standard defines the minimum requirements for safe independent access and use of elevators by all passengers, including those with disabilities.

EN
81-80

Mevcut yolcu ve yük asansörlerinin güvenliğini geliştirme kuralları
Improves the security of existing passenger and freight elevators.

FLEX - F SERİSİ / SERIES

SIVA ÜSTÜ KAT BUTONYERLERİ SURFACE MOUNT LANDING OPERATION PANELS



FLEX - F SERİSİ / SERIES

SIVA ÜSTÜ KABİN BUTONYERLERİ
SURFACE MOUNT CAR OPERATION PANELS

F 140 BD

Kapak (Cover)
105*300*27mm

F 320

Kapak (Cover)
105*350*27mm


F 520 A

Kapak (Cover)
190*1000*30mm


F 520 MD

Kapak (Cover)
190*1000*30mm

F 600

Kapak (Cover)
190*1980*30mm

F 990



Kapak (Cover) : 1000*145*85 mm


EN
81-70

Engelliler dahil yolcu asansörleri için erişilebilirlik

This standard defines the minimum requirements for safe independent access and use of elevators by all passengers, including those with disabilities.

EN
81-80Mevcut yolcu ve yük asansörlerinin güvenliğini geliştirme kuralları
Improves the security of existing passenger and freight elevators.

KAT BUTONYERLERİ
LANDING OPERATION PANELS



KAT BUTONYERLERİ
LANDING OPERATION PANELS

K 210



Kapak (Cover) :170*350mm
Kutu (Box) :140*270mm

K 215 BD



Kapak (Cover) :170*350mm
Kutu (Box) :140*270mm

K 220




Kapak (Cover) :170*390 mm
Kutu (Box) :140*310 mm

K 270 A



Kapak (Cover) :170*250mm
Kutu (Box) :140*170mm

K 255 DM



Kapak (Cover) :170*250mm
Kutu (Box) :140*170mm

K 260 R BD



Kapak (Cover) :170*350mm
Kutu (Box) :140*270mm

KAPI ÜSTÜ GÖSTERGELER LANDING INDICATOR PANELS

KAPI ÜSTÜ GÖSTERGELER

- 304 kalite paslanmaz çelik kapak.
- Tüm elemanlar kapağa montajlı.
- Homojen aydınlatma.
- 38mm 7segment display. (yön okları) (kırmızı, mavi, yeşil, sarı ,beyaz)
- 30mm dot matrix display. (opsiyonel)
- Mavi - beyaz grafik LCD Gösterge (opsiyonel)
- Mavi - beyaz alfanumerik LCD Gösterge (opsiyonel)
- Dayanıklı akrilik gösterge pencereleri.
- Yüzeze kolay montaj,

LANDING INDICATOR PANELS

- 304 grade stainless steel cover.
- All components mounted to the cover.
- Homogen illuminating.
- 38mm 7 segment display. (direction arrows) (red, blue, green, yellow, white)
- 30mm dot matrix display. (optional)
- Blue-white graphic LCD screen. (optional)
- Blue-white alphanumeric LCD screen. (optional)
- Resistant acrylic screen
- Easy surface mounting.

D 110



Kapak (Cover) :90*350mm / Kutu (Box) : 70*270mm

D 120



Kapak (Cover) :90*350mm / Kutu (Box) : 70*270mm

D 150



Kapak (Cover) :90*350mm / Kutu (Box) : 70*270mm

D 150 MD



Kapak (Cover) :100*350mm / Kutu (Box) : 80*270mm

D 160



Kapak (Cover) :90*350mm / Kutu (Box) : 70*270mm

KABİN BUTONYERLERİ CAR OPERATION PANELS

KABİN BUTONYER ÖZELLİKLERİ

- 304 Paslanmaz çelik kapak.
- Tüm elemanlar kapağa montajlı.
- Paslanmaz basma alanı.
- Tactile ve mikro siviç buton.
- Kabartma rakam ve harfler. (işaretlemeler)
- Aydınlatma uzun ömürlü 12 / 24 v. Led. (kırmızı, mavi, yeşil, sarı, beyaz)
- Homojen aydınlatma.
- 38mm 7segment display. (yön oku) 12/24 v. (kırmızı, mavi, yeşil, sarı, beyaz)
- 30mm dot matrix display. (opsiyonel)
- Mavi – beyaz grafik LCD Gösterge (opsiyonel)
- Mavi – beyaz alfanumerik LCD Gösterge (opsiyonel)
- Dayanıklı akrilik gösterge pencereleri.
- TFT LCD display (opsiyonel)
- Galveniz metal kutu.

CAR OPERATION PANELS SPECIFICATION

- 304 stainless steel cover.
- All components mounted to the cover.
- Stainless pressing area.
- Tactile switch and micro switch button models.
- Emboss numbers and letters. (signs)
- Long-Life and neglected lighting 12/24 v. Led. (red, blue, green, yellow, white)
- Homogen illumination.
- 38mm 7 segment display. (direction arrow) (red, blue, green, yellow, white)
- 30mm dot matrix display. (optional)
- Blue-white graphic LCD screen. (optional)
- Blue-white alphanumeric LCD screen. (optional)
- Resistant acrylic screen
- TFT LCD display (optional)
- Galvaniz metal box.



Kapak (Cover) :150*1000mm
Kutu (Box) :110*910mm

Kapak (Cover) :170*1000mm
Kutu (Box) :140*910mm

Kapak (Cover) :170*1000mm
Kutu (Box) :140*910mm

Kapak (Cover) :170*1000mm
Kutu (Box) :140*910mm

KABİN BUTONYERLERİ
CAR OPERATION PANELS

K 600 DM



K 650 G



K 690 TFT



K 800



K 810 G



Kapak (Cover) :170*1980mm Kapak (Cover) :195*1980mm Kapak (Cover) :250*1980mm Kapak (Cover) :200*1980mm Kapak (Cover) :200*1980mm
Kutu (Box) :140*1890mm Kutu (Box) :160*1890mm Kutu (Box) :220*1890mm Kutu (Box) :160*1890mm Kutu (Box) :160*1890mm


**KABİN BUTONYERLERİ
CAR OPERATION PANELS**

K 620 G



Kapak (Cover) :380*1980mm
Kutu (Box) :350*1890mm

K 630



Kapak (Cover) :380*1980mm


K 640 G



Kapak (Cover) :380*1980mm


KABİN BUTONYERLERİ CAR OPERATION PANELS

K 660 G




Kapak (Cover) :380*1980mm
Kutu (Box) :350*1890mm

K 670 TFT



Kapak (Cover) :380*1980mm
Kutu (Box) :350*1890mm

K 680 TFT



Kapak (Cover) :380*1980mm
Kutu (Box) :350*1890mm

EN
81-28

Yolcu ve yük asansörlerinde uzaktan alarm
Remote alarm of passenger and freight elevators.

- Boy panellerde kullanılan aydınlatmalar, uzun ömürlü ve enerji tasarrufu sağlayan led diyotlarla sağlanmıştır. Üzerindeki koruma camları darbeye dayanıklı özel malzemeden üretilmiştir.
- The lights on the car operation panels are long life led which save energy. The material of light cover is produced with durable special material.

ES SERİSİ / SERIES

SIVA ÜSTÜ KAT BUTONYERLERİ
SURFACE MOUNT LANDING OPERATION PANELS

ES 215F (FÜME)



Kapak(Cover):80*200*16mm

ES 120



Kapak(Cover):80*200*16mm

ES 145



Kapak(Cover):80*200*16mm

ES 155



Kapak(Cover):80*200*16mm

ES 145B



Kapak(Cover):80*200*16mm

ES 145X



Kapak(Cover):80*250*16mm

ES 145XF (FÜME)



Kapak(Cover):80*250*16mm

ES 155X



Kapak(Cover):80*250*16mm

M-MX SERİSİ / SERIES

Kayatec[®]


SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAT BUTONYERLERİ

SURFACE MOUNT CAR OPERATION PANELS & LANDING OPERATION PANELS


M 140



M 210DM




M 215



M 220




M 600DM



Kapak(Cover):80*300*22mm

Kapak(Cover):160*300*22mm

MX 140DM



MX 170



MX 210



Kapak(Cover):80*300*22mm


Kapak(Cover):160*300*22mm

MX 520



Kapak(Cover)
185*1100*30mm

Kapak(Cover)
185*2000*30mm



PX SERİSİ / SERIES

KABİN BUTONYERLERİ VE KAT BUTONYERLERİ CAR OPERATION PANELS & LANDING OPERATION PANELS

PX 600DM



PX 210



PX 140




PX 170DM




PX 520LD



PX 215



PX 220DM




TX SERİSİ / SERIES

Kayatec[®]


SIVA ÜSTÜ KABİN BUTONYERLERİ
SURFACE MOUNT CAR OPERATION PANELS

TX 520



Kapak(Cover) 185*1000*21mm

TX 600



Kapak(Cover) 185*2000*21mm

GT SERİSİ / SERIES

DOKUNMATİK KABİN BUTONYERLERİ
TOUCH GLASS CAR OPERATION PANELS**BUTONYER ÖZELLİKLERİ**

- 6mm Temperli cam yüzey.
- Tüm elemanlar kapağa montajlı.
- Dokunmatik buton sistemi.
- Çift renk güçlü homojen aydınlatma
- Aydınlatma uzun ömürlü Led 24 v.
(kırmızı, mavi, yeşil, sarı beyaz)
- 7segment, dot matrix ve LCD display seçenekleri.
- TFT LCD ekran (opsiyonel)
- Galveniz metal kutu.

OPERATION PANEL SPECIFICATION

- 6mm tempered glass surface.
- All components mounted to the cover.
- Touch button system.
- Double color high Homogen illumination
- Long-Life and neglected lighting 12v/24v.
(red, blue, green, yellow white)
- 7segment dot matrix display and LCD screen options.
- TFT LCD screen (optional)
- Galvaniz metal box.

GT 520 A



Kapak (Cover) :200*1000mm
Kutu (Box) :160*910mm

GT 600 G



Kapak (Cover) :200*2000mm
Kutu (Box) :160*1890mm

GT 610 TFT



Kapak (Cover) :250*2000mm
Kutu (Box) :220*1890mm

DOKUNMATİK CAM BUTONYERLER TOUCH GLASS OPERATION PANELS

BUTONYER ÖZELLİKLERİ

- 6mm Temperli cam yüzey.
- Tüm elemanlar kapağa montajlı.
- Dokunmatik buton sistemi.
- Çift renk güçlü homojen aydınlatma
- Aydınlatma uzun ömürlü bakımsız Led 24 v. (kırmızı, mavi, yeşil, sarı beyaz)
- 7segment, dot matrix ve LCD display seçenekleri.
- Galvaniz metal kutu.

OPERATION PANEL SPECIFICATION

- 6mm tempered glass surface.
- All components mounted to the cover.
- Touch button system.
- Double color high Homogen illumination
- Long-Life and neglected lighting 12v/24v. (red, blue, green, yellow white)
- 7segment dot matrix display and LCD screen options.
- Galvaniz metal box.

GD 150



GD 160



GD 120



Kapak (Cover) :100*300mm / Kutu (Box) :85*250mm

GT 100




GT 105



GT 130 DM



GT 130 A




Kapak (Cover) :100*300mm / Kutu (Box) :70*250mm

GT 140



GT 140 DM



GT 210 A



GT 220 G



Kapak (Cover) :100*300mm
Kutu (Box) :70*250mm

Kapak (Cover) :200*300mm
Kutu (Box) :140*250mm


Kapak (Cover) :200*350mm
Kutu (Box) :140*300mm

BUTONLAR / BUTTONS


BS SERIES BUTTONS



C SERIES BUTTONS



D SERIES BUTTONS



D SERIES BUTTONS



E SERIES BUTTONS



F SERIES BUTTONS




















- Butonların çevre ve karakterleri 4 adet led ile homojen olarak aydınlatılmaktadır. Belirtilen renk seçenekleri ile üretilmektedir.
- Kabin buton yerlerinde bulunan çıkış katı butonu EN 81-70 standardına göre üretilmektedir.
- Butonlarda bulunan yazılar ve harfler 0,7 mm. yüksekliğindedir





















- Button the characters and frame is illuminated Homogenly with 4 LEDs, specified colors are produced.
- Exit button in the cabin panel are manufactured according to EN81-70 standart
- All characters which are on push button are 0,7mm height


GÖSTERGE ÇEŞİTLERİ VE OPSİYONEL PARÇALAR INDICATOR TYPES & OPTIONAL PARTS

<p>TFT LCD 7"-10" GT7 GT10</p> 	<p>GRAPHIC LCD 240128 240*128 Pixel</p> 	<p>GRAPHIC LCD 12864 128*64 Pixel</p> 	
<p>ALPHANUMERIC DOT LCD 50*70mm LCD01</p> 	<p>ALPHANUMERIC LCD 40*85mm LCD02</p> 	<p>ALPHANUMERIC LCD 110*60mm LCD03</p> 	
<p>GÜVENLİK MODÜLÜ SECURITY MODULE ASX01</p> 	<p>SIVA ÜSTÜ ŞİFRE TAKIMI SURFACE MOUNT PASSWORD PANEL SP01</p> 	<p>ŞİFRE TAKIMI PASSWORD PANEL SP02</p> 	<p>FAN KARTI FAN CARD SF01</p> 
<p>KARTLI GEÇİŞ MODÜLÜ PROXIMITY ACCES CONTROL MODULE AXRF01</p> 	<p>ANONS SİSTEMİ ANNOUNCEMENT SYSTEM ANS01</p> 	<p>GSM MODÜLÜ GSM01</p> 	<p>AŞIRI YÜK VE SESLİ İKAZ OVERLOAD & BUZZER KY01</p> 
<p>INTERKOM KİTİ INTERCOM KIT INT02</p> 	<p>INTERKOM KİTİ INTERCOM KIT INT04</p> 	<p>RESET ANAHTARI RESET KEY RST01</p> 	

GÖSTERGE ÇEŞİTLERİ VE OPSİYONEL PARÇALAR
INDICATOR TYPES & OPTIONAL PARTS

<p>DOT - MATRIX DISPLAY 30mm KDX01</p> 	<p>7 SEG. DISPLAY 20mm KD01</p> 	<p>7 SEG. DISPLAY 20mm KD02A</p> 	<p>7 SEG. DISPLAY 20mm KD05A</p> 	<p>7 SEG. DISPLAY 20mm MSX3T</p> 	<p>7 SEG. DISPLAY 20mm MSX02</p> 
<p>7 SEG. DISPLAY 38mm MBD01</p> 	<p>7 SEG. DISPLAY 20mm KD03</p> 	<p>7 SEG. DISPLAY 30mm KD08</p> 	<p>7 SEG. DISPLAY 30mm KD07</p> 	<p>7 SEG. DISPLAY 38mm KD09</p> 	
<p>7 SEG. DISPLAY 38mm MBD02</p> 	<p>7 SEG. DISPLAY 38mm MBD02A</p> 	<p>7 SEG. DISPLAY 38mm MBD02B</p> 			
<p>DOT - MATRIX DISPLAY 30mm KSD13</p> 	<p>DOT - MATRIX DISPLAY 50mm KSD14</p> 	<p>7 SEG. DISPLAY 30mm LD30</p> 	<p>7 SEG. DISPLAY 38mm LD38</p> 		

SERİ HABERLEŞME SİSTEMİ SERIAL COMMUNICATION SYSTEM




ARCODE ÖZELLİKLERİ

- 64 durak tek/çift yön toplama 4m/s kabin hızı
- Dişli ve dişsiz makinelerle çalışma
- Grup kumanda ile 8 asansöre kadar çalışma özelliği
- CAN BUS hattı üzerinden seri kabin haberleşmesi
- CAN BUS hattı üzerinden seri kat haberleşmesi
- Enkoder sistemi ile kabin pozisyon bilgisi
- Her tür otomatik kapı kontrolü
- Kat ve kabin butonyeri için göstere seçenekleri (7 segment, dotmatrix göstergeler)
- Otomatik kata getirme
- Programlanabilir giriş-çıkışlar
- CAN BUS hattına bağlanan el terminali ile ARCODE'ü kumanda edebilme
- Test fonksiyonları
- EN81-1/2+A3 standartlara uyumluluk


ARCODE SPECIFICATION

- Up to 4m/s car speed
- Up to 64 stops double bottom
- Up to 8 cars group control option
- Serial car connection with CAN BUS
- Serial LOP connection with CAN BUS
- Carposition data with encoder system
- Door operator control with all models
- Display choosefor COP and LOP
- Automatic rescue operation system
- Program mable inputs and outputs
- Controlfrom CAN BUS by handterminal
- Harmonized EN81-1/2+A3 standards

ALPHANUMERIC LCD 114*64
ELCD-B




DOT-MATRIX DISPLAY 2*50
KDX05



DOT-MATRIX DISPLAY 3*30
EDM 3x30mm



DOT-MATRIX DISPLAY 2*30
KDX08



7 SEGMENT DISPLAY
KDX07



DOT-MATRIX DISPLAY 2*30
KDX03



ALPHANUMERIC LCD 70*40
ELCD-A




**MANYETİK ŞALTER
MAGNETIC SWITCH**


TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

BI-STABLE/MONO MAGNETIC SWITCH

TEMAS (BAĞLANTI) ORANI / CONTACT RATING	1 W / 10 VA
ANAHTARLAMA AKIMI / SWITCHING CURRENT	1000 mA
ANAHTARLAMA VOLTAJİ / SWITCHING VOLTAGE	180 VDC / 130 VAC
TEMAS DİRENCİ / STATIC CONTACT RESISTANCE (INITIAL)	60 - 150 M Ω
ÇALIŞMA ZAMANI / OPERATE TIME (INCI,BOUNCE)	Max. 1.0 ms.
BIRAKMA ZAMANI / RELEASE TIME	0.4 ms.
TİTREŞİM / VIBRATION	50 - 2000 Hz - 20 g
ÇALIŞMA SICAKLIĞI / OPERATING TEMPERATURE	-40 + 125 °C
KONTAKT ÖZELLİĞİ / CONTACT SPECIFICATIONS	180 VDC / 130 VAC
ÖLÇÜLER / DIMENSION	115 mm x 18 mm
KABLO UZUNLUĞU / CABLE LENGHT	120 cm
MONTAJ / MOUNTING	Plastic stand
ÇALIŞMA MESAFESİ / OPERATING DISTANCE	10 mm - 40 mm




Positions of the contacts of the switch against magnet Mounting of the bi-stable switch on the cabin



POWER BI-STABLE/MONO MAGNETIC SWITCH

TEMAS (BAĞLANTI) ORANI / CONTACT RATING	250W / VA
ANAHTARLAMA AKIMI / SWITCHING CURRENT	5 A
ANAHTARLAMA VOLTAJİ / SWITCHING VOLTAGE	250 VAC / 250 VDC
TEMAS DİRENCİ / STATIC CONTACT RESISTANCE (INITIAL)	300M OHM.
ÇALIŞMA ZAMANI / OPERATE TIME (INCI,BOUNCE)	MAX. 2.0 MS.
BIRAKMA ZAMANI / RELEASE TIME	1.0 MS.
TİTREŞİM / VIBRATION	50 - 2000 HZ-10 G
ÇALIŞMA SICAKLIĞI / OPERATING TEMPERATURE	-60 +100
KONTAKT ÖZELLİĞİ / CONTACT SPECIFICATIONS	250 VAC / 250 VDC
ÖLÇÜLER / DIMENSION	115 MM. X 18 MM.
KABLO UZUNLUĞU / CABLE LENGHT	1.15 CM.
MONTAJ / MOUNTING	PLASTIC STAND
ÇALIŞMA MESAFESİ / OPERATING DISTANCE	10 MM. - 30 MM.



Positions of the contacts of the switch against magnet Mounting of the mono stable switch on the cabin

ELECTRONIC MONO STABLE MAGNETIC SWITCH

ÇALIŞMA VOLTAJİ/OPERATING VOLTAGE	12 / 45 V
ÇALIŞMA SICAKLIĞI/OPERATING TEMPERATURE	-40 / +125 C°
FREKANS / FREQUENCY	100 Hz
ÇALIŞMA AKIMI / CIRCUIT CURRENT LIMIT	0,7 A
ÖLÇÜLER / DIMENSION	115 mm x 18 mm
KABLO UZUNLUĞU / CABLE LENGHT	120 cm
MONTAJ / MOUNTING	Metal stand
ÇALIŞMA MESAFESİ / OPERATING DISTANCE	10 - 30 mm

We are producing for the world...

Kayatec



Discover
the potential



📍 Esenevler Mah. Yunus Emre Cad.
Bronz Sk. No: 7 34762
Ümraniye / İstanbul / TURKEY

☎ +90 216 523 07 30 / +90 216 523 07 47

☎ +90 216 523 29 19

✉ info@kayatec.com.tr / www.kayatec.com.tr

✉ sales@kayatec.com.tr