

Kayatec[®]



1998'den beri...

ÜRÜN
KATALOĞU
Product Catalogue

www.kayatec.com.tr



HAKKIMIZDA

1998 Yılında Kaya Asansör olarak faaliyete başlamıştır. 2002 yılında ünvanımız Kaya Asansör Elek.Rek ve Dış Tic.San.Ltd.Şti. olarak değişmiştir.

Başlangıçta bi-stabil manyetik şalter ve revizyon kutusu üretimi ve satışı konusunda faaliyet göstermekte iken 2004 yılında asansör butonyeri üretimine başlamıştır. Üretim yelpazesi ve kalitesini her geçen gün artıran Kaya Asansör hizmet verdiği müşterilerinin istek ve önerilerini yerine getirmek için var gücüyle çalışmaktadır.

Firmamız ayrıca gelişen teknolojiyi yakından takip ederek sektörümüz ile ilgili geliştirilen ve kabul edilen normları yerine getirmeye çalışmaktadır.

İMALAT POLİTİKASI

Kaya Asansör kaliteli ve güvenilir ürün üretilmesi prensibiyle çalışmaktadır. Bizler, ürettiğimiz ürünlerin imalattan tüketiciye ulaşıncaya kadar ki süreci dikkatlice takip etmekte üretimin her aşamasında uyguladığımız kalite politikası ve standartları satış sonrası hizmet ve müşteri memnuniyeti ilkeleriyle Türk sanayi ve ekonomisinin gelişiminde rol almak istemekteyiz.

KALİTE POLİTİKASI

- Ürünlerimizi müşteri gereksinimleri doğrultusunda ulusal, uluslararası standart ve 95/16 at "CE" direktifine uygun üretmek,
- Sürekli gelişme bilincinde olmak,
- Üst kademenin belirlediği hedefler doğrultusunda ilerlemek,
- Personelin eğitim düzeyini yükseltmek,
- Daha verimli ve uygun çalışma ortamı sağlamak,
- Üretim miktar ve kalite düzeyini sürekli yükselterek pazardaki rekabet gücümüzü artırmaktır.

" Kalitemiz, servisimiz ve dostluğumuz ile bugün yarın ve daima sizlerin yanındayız."

Saygularımızla

• Kaya Asansör

ABOUT US

Kaya Elevator Company has been founded in 1998 and it's name has changed as Kaya Elevator Electronic Advertisement and Foreign Trade Limited Company in 2002. Initially, it has served in bi-stable magnetic power switch and revision box production and sales, it has started to produce lift buttons in 2004. Kaya Elevator Company, which increases the product range and quality day by day, strive in order to meet the demands and offers of customers which it serves. The firm, also, follows closely the developing technology and tries to carry out the developed and accepted norms about the sector

MANUFACTURE POLICY

The support from workers and customers, the company carries on developing and growing bigger day by day with our high quality service.

QUALITY POLICY

- To have the consciousness of steady development,
- To proceed in the direction fixed by the higher rank,
- To improve education level of the personnel high,
- To provide a more efficient and favourable working environment,
- To increase the company's competition power in the market by continuously boosting the production quantity and quality.

" With our quality, service and friendliness we are always near to you."

With our best regards

• Kaya Elevator Company

İÇİNDEKİLER INDEX



ES SERİSİ SIVA ÜSTÜ
KAT BUTONYERLERİ

6


ES SERIES SURFACE MOUNT
LANDING OPERATION PANELS



T SERİSİ SIVA ÜSTÜ
KAT BUTONYERLERİ

9


T SERIES SURFACE
MOUNT LANDING
OPERATION PANELS



M-MX SERİSİ SIVA ÜSTÜ
KABİN BUTONYERLERİ VE
KAT BUTONYERLERİ

11


M-MX SERIES SURFACE MOUNT
CAR OPERATION PANELS & LANDING
OPERATION PANELS



S SERİSİ KAPI ÜSTÜ
GÖSTERGELER

18

S SERIES LANDING
INDICATOR PANELS



GT SERİSİ DOKUNMATİK
KABİN BUTONYERLERİ

20

GT SERIES TOUCH GLASS
CAR OPERATION PANELS



İTFAYEÇİ
ASANSÖRLERİ

22

FIRE FIGHTERS
LIFTS

ES SERİSİ SIVA ÜSTÜ KAT BUTONYERLERİ

ES SERIES SURFACE MOUNT LANDING OPERATION PANELS

TX SERİSİ SIVA ÜSTÜ KABİN BUTONYERLERİ

TX SERIES SURFACE MOUNT CAR OPERATION PANELS

T SERİSİ SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ

T SERIES SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS

T SERİSİ SIVA ÜSTÜ KAT BUTONYERLERİ

T SERIES SURFACE MOUNT LANDING OPERATION PANELS

PX SERİSİ KABİN BUTONYERLERİ VE KAT BUTONYERLERİ

PX SERIES CAR OPERATION PANELS & LANDING OPERATION PANELS

M-MX SERİSİ SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAT BUTONYERLERİ

M-MX SERIES SURFACE MOUNT CAR OPERATION PANELS & LANDING OPERATION PANELS

FLEX - FR SERİSİ SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ

FLEX - FR SERIES SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS

FLEX FR SERİSİ SIVA ÜSTÜ KAT BUTONYERLERİ

FLEX - FR SERIES SURFACE MOUNT LANDING OPERATION PANELS

P SERİSİ KABİN BUTONYERLERİ VE KAPI ÜSTÜ GÖSTERGELER

P SERIES CAR OPERATION PANELS & LANDING INDICATOR PANELS

P SERİSİ KAT BUTONYERLERİ

P SERIES DUBLEX LANDING OPERATION PANELS

S SERİSİ SIVA ÜSTÜ KAT BUTONYERLERİ

S SERIES SURFACE MOUNT LANDING OPERATION PANELS

S SERİSİ SIVA ÜSTÜ KAT BUTONYERLERİ

S SERIES DUBLEX SURFACE MOUNT LANDING OPERATION PANELS

S SERİSİ KAPI ÜSTÜ GÖSTERGELER

S SERIES LANDING INDICATOR PANELS

SL SERİSİ SIVA ÜSTÜ KAT BUTONYERLERİ

SL SERIES SURFACE MOUNT LANDING OPERATION PANELS

GT SERİSİ DOKUNMATİK KABİN BUTONYERLERİ

GT SERIES TOUCH GLASS CAR OPERATION PANELS

GT SERİSİ DOKUNMATİK CAM BUTONYERLER

GT SERIES TOUCH GLASS OPERATION PANELS

İTFAYEÇİ ASANSÖRLERİ

FIRE FIGHTERS LIFTS

V SERİSİ ANTİVANDAL BUTONYERLER

V SERIES ANTIVANDAL BUTTONS

K SERİSİ KABİN BUTONYERLERİ

K SERIES CAR OPERATION PANELS

K SERİSİ KABİN BUTONYERLERİ

K SERIES CAR OPERATION PANELS

K SERİSİ KAT BUTONYERLERİ

K SERIES LANDING OPERATION PANELS

K SERİSİ KAT BUTONYERLERİ

K SERIES LANDING OPERATION PANELS

K SERİSİ KABİN BUTONYERLERİ

K SERIES CAR OPERATION PANELS

K SERİSİ KAPI ÜSTÜ GÖSTERGELER

K SERIES LANDING INDICATOR PANELS

FLEX - F SERİSİ SIVA ÜSTÜ KABİN BUTONYERLERİ

FLEX - F SERIES SURFACE MOUNT CAR OPERATION PANELS

FLEX - F SERİSİ SIVA ÜSTÜ KAT BUTONYERLERİ

FLEX - F SERIES SURFACE MOUNT LANDING OPERATION PANELS

E SERİSİ SIVA ÜSTÜ KAT BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ

E SERIES SURFACE MOUNT LANDING OPERATION PANELS & LANDING INDICATOR PANELS

MANYETİK ŞALTER

MAGNETIC SWITCH

ARCODE CAN-BUS SYSTEM SERİ HABERLEŞME SİSTEMİ

ARCODE CAN-BUS SYSTEM SERIAL COMMUNICATION SYSTEM

MIKROLIFT CAN-BUS SYSTEM SERİ HABERLEŞME SİSTEMİ

MIKROLIFT CAN-BUS SYSTEM SERIAL COMMUNICATION SYSTEM

BUTONLAR

BUTTONS

GÖSTERGE ÇEŞİTLERİ VE OPSİYONEL PARÇALAR

INDICATOR TYPES & OPTIONAL PARTS

İÇİNDEKİLER INDEX

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34


35

36

37

SERTİFİKALAR CERTIFICATES

T.C. BÜLGE SANAYİ VE TEKNOLOJİ BAKANLIĞI Sanayi Sicil Belgesi			
Belge Tarihi: 28/03/2014	Belge No: 617847	Veriye Sebabi: İlk Kayıt	Yerli No: 530027033
İşletme Ünvanı: KAYA ANASÖR ELEKTRONİK REKLAMCILIK VE DİŞ TİCARET SANAYİ LİMİTED ŞİRKETİ			
İşletme Adresi: ESENVELER MAHAL YUNUS EMRE CAD BRONZ SOK NO:7A ÖZANCIYI/İSTANBUL			
Kayıtlı Bulunduğu Mülkiyet Çeşidi: İSTANBUL SANAYİ ODASI	Kuruluş Tarihi ve Ticaret Sicil No: 16/01/2002 489971 / 416654	Ticaret Sicil Gazetesi Tarihi ve Sayısı: 16/01/2002 5488	
Kapsahe Raporu Birlik Çıkarış Tarihi ve No: 09/03/2014 4053			
Üretim Konusu: ANASÖR BÜTÜNLEME KURUMUNUN İKİNCİ BÜTÜNLEME, İKİNCİ VE ÜÇÜNCÜ			
..... YILI VEZESİ YILI VEZESİ YILI VEZESİ YILI VEZESİ



ES SERİSİ / SERIES

SIVA ÜSTÜ KAT BUTONYERLERİ

SURFACE MOUNT LANDING OPERATION PANELS

ES 215

Kapak (Cover) : 80*200*16mm



ES 110

Kapak (Cover) : 80*200*16mm




ES 145

Kapak (Cover) : 80*200*16mm



ES 155

Kapak (Cover) : 80*200*16mm



ES 145 B

Kapak (Cover) : 80*200*16mm




ES 145 X

Kapak (Cover) : 80*250*16mm



ES 155 X

Kapak (Cover) : 80*250*16mm



ES 120


Kapak (Cover) : 80*200*16mm



TX SERISI / SERIES

SIVA ÜSTÜ KABİN BUTONYERLERİ SURFACE MOUNT CAR OPERATION PANELS

TX 520
Kapak (Cover) :185*1000*21*mm



TX 600
Kapak (Cover) :185*2000*21*mm




T SERİSİ / SERIES

SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ

SURFACE MOUNT CAB OPERATION PANELS & LANDING INDICATOR PANELS

T 210
Kapak (Cover): 80*220*10mm



T 520 MD
Kapak (Cover)
185*1000*21mm



T 600 A
Kapak (Cover)
185*2000*21mm



SIVA ÜSTÜ KAT BUTONYERLERİ
SURFACE MOUNT LANDING OPERATION PANELS

T110

Kapak (Cover) : 80*220*10mm



T120

Kapak (Cover) : 80*220*10mm



T145

Kapak (Cover) : 80*220*10mm



T155

Kapak (Cover) : 80*220*10mm



T155X

Kapak (Cover) : 80*220*10mm



T145X

Kapak (Cover) : 80*220*10mm



KABİN BUTONYERLERİ VE KAT BUTONYERLERİ CAR OPERATION PANELS & LANDING OPERATION PANELS

PX 600 DM
Kapak (Cover) : 1850*1980mm
Kutu Box: 160*1890




PX 210
Kapak (Cover) : 185*350mm
Kutu Box: 140*270



PX 140
Kapak (Cover) : 90*350 mm
Kutu Box: 70*270




PX 170 DM
Kapak (Cover) : 90*390 mm
Kutu Box: 70*310




PX 520
Kapak (Cover) : 185*1100mm
Kutu Box: 160*970



PX 215
Kapak (Cover) : 185*350 mm
Kutu Box: 140*270



PX 220 DM
Kapak (Cover) : 185*390 mm
Kutu Box: 140*310



EN
81-20

Asansörlerin yapımı ve kurulumu için güvenlik kuralları.
Safety rules for the construction and installation of lifts


SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAT BUTONYERLERİ
SURFACE MOUNT CAR OPERATION PANELS & LANDING OPERATION PANELS

M140



Kapak (Cover): 90*350*24mm

M210 DM



M215




Kapak (Cover): 185*350*24mm

M220



M 600 DM
Kapak (Cover): 185*2000*24mm



MX 140DM




Kapak (Cover): 90*350*24mm

MX 170



MX 210




Kapak (Cover): 185*350*24mm

MX 520
Kapak (Cover): 185*1100*24mm




M 170 DM



SIVA ÜSTÜ KABİN BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ

SURFACE MOUNT CAR OPERATION PANELS & LANDING INDICATOR PANELS





FR 600 A
Kapak (Cover) 210*2000*21mm



FR 520 MD
Kapak (Cover) 210*1000*21mm

FX 520 DM
Kapak (Cover) 210*1000*21mm





Engelliler dahil yolcu asansörleri için erişebilirlik.
Accessibility to lifts for persons including persons with disability.



Mevcut yolcu ve yük asansörlerinin güvenliğini geliştirme kuralları
Improves the security of existing passenger and freight elevators.

FLEX FR SERİSİ / SERIES
SIVA ÜSTÜ KAT BUTONYERLERİ
SURFACE MOUNT LANDING OPERATION PANELS



KABİN BUTONYERLERİ VE KAPI ÜSTÜ GÖSTERGELER

CAR OPERATION PANELS & LANDING INDICATOR PANELS




P150
Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm



P120
Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm

P520 - P520 DM

Kapak (Cover) : 180*1000mm
Kutu (Box)1 : 140*910mm
Kutu (Box) 2 : 160*910mm



P600 - P600 DM

Kapak (Cover) :180*1980mm
Kutu (Box)1 :140*1890mm
Kutu (Box)2 :160*1890mm




P SERİSİ / SERIES DUBLEX
KAT BUTONYERLERİ
LANDING OPERATION PANELS

P140
Kapak (Cover) :90*350mm
Kutu (Box) :70*270mm



P140 DM
Kapak (Cover) :90*350mm
Kutu (Box) :70*270mm




P170
Kapak (Cover) :90*390mm
Kutu (Box) :70*310mm




P170 DM
Kapak (Cover) :90*390mm
Kutu (Box) :70*310mm



P210
Kapak (Cover) :180*350mm
Kutu (Box) :140*270mm




P210 DM
Kapak (Cover) :180*350mm
Kutu (Box) :140*270mm



P220
Kapak (Cover) :180*390mm
Kutu (Box) :140*310mm



P220 DM
Kapak (Cover) :180*390mm
Kutu (Box) :140*310mm



SIVA ÜSTÜ KAT BUTONYERLERİ

SURFACE MOUNT LANDING OPERATION PANELS

S110

Kapak (Cover):90*220*25 mm



S120

Kapak (Cover):90*220*25 mm



S145 MD

Kapak (Cover):90*220*16 mm



S145

Kapak (Cover):90*220*25 mm



S160

Kapak (Cover):90*220*25 mm



S145 MD



SIVA ÜSTÜ KAT BUTONYER ÖZELLİKLERİ

- 304 Kalite Paslanmaz Çelik Kapak.
- Tüm Elemanlar Kapağa Montajlı.
- Paslanmaz Basma Alanı.
- Tactile Ve Mikro Siviç Buton.
- Kabartma Rakam Ve Harfler. (İşaretlemeler)
- Aydınlatma Uzun Ömürlü 12 / 24 V. Led. (Kırmızı, Mavi, Yeşil, Beyaz)
- Homojen Aydınlatma.
- 20- 30mm 7 Segment Display. (Yön Okları, Servis Dışı, Meşgul) 12/24v. (Kırmızı, Mavi, Yeşil, Beyaz)
- 30mm Dot Matrix Display. (Opsiyonel)
- Mavi - Beyaz Grafik Lcd Gösterge (Opsiyonel)
- Mavi - Beyaz Alfanumerik Lcd Gösterge (Opsiyonel)
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- Dayanıklı Akirlik Gösterge Pencereleri.
- Yüzeğe Kolay Monta

OPERATION PANEL SPECIFICATION

- 304 Grade Stainless Steel Cover.
- All Components Mounted To The Cover.
- Stainless Press Area.
- Tactile Switch And Micro Switch Button Models.
- Emboss Numbers And Letters. (Signs)
- Long-Life And Neglected Lighting 12/24 V. Led. (Red, Blue, Green, Yellow, White)
- Homogen Illuminating.
- 20-30mm 7 Segment Display. (Direction Arrows, Out Of Order, Busy) (Red, Blue, Green, Yellow, White)
- 30mm Dot Matrix Display. (Optional)
- Blue-White Graphic Lcd Screen. (Optional)
- Blue-White Alphanumeric Lcd Screen. (Optional)
- Parallel Installation Or Ready Installation Option
- Resistant Acrylic Screen.
- Easy Surface Mounting

SIVA ÜSTÜ KAT BUTONYERLERİ SURFACE MOUNT LANDING OPERATION PANELS

S 250 A

Kapak (Cover): 170*275 *25 mm



S 260

Kapak (Cover): 170*275 *25 mm



S 270

Kapak (Cover): 170*275 *25 mm



S 250 BD

Kapak (Cover): 170*275 *25 mm



S 260 MD

Kapak (Cover): 170*275 *25 mm



S 270 BD

Kapak (Cover): 170*275 *25 mm




KAPI ÜSTÜ GÖSTERGE ÖZELLİKLERİ

- 304 Kalite Paslanmaz Çelik Kapak.
- Tüm Elemanlar Kapağa Montajlı.
- Homojen Aydınlatma.
- 38-45mm 7segment Display. (Yön Okları)
(Kırmızı, Mavi, Yeşil, Sarı, Beyaz)
- 30-50mm DotMatrixDisplay. (Opsiyonel)
- Mavi – Beyaz Grafik Lcd Gösterge (Opsiyonel)
- Mavi – Beyaz Alfanumerik Lcd Gösterge (Opsiyonel)
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- Dayanıklı Akrilik Gösterge Pencereleeri.
- Yüzeğe Kolay Montaj

LANDING INDICATOR PANELS SPECIFICATION

- 304 Grade Stainless Steel Cover.
- All Components Mounted To The Cover.
- Homogen Illuminating.
- 38-45mm 7 Segment Display. (Direction Arrows)
(Red, Blue, Green, Yellow, White)
- 30-50mm Dot Matrix Display. (Optional)
- Blue-White Graphic Lcd Screen. (Optional)
- Blue-White Alphanumeric Lcd Screen. (Optional)
- Parallel Installation Or Ready Installation Option
- Resistant Acrylic Screen
- Easy Surface Mounting.



SD 200

Kapak (Cover):90*220*40 mm



SD 220

Kapak (Cover):90*220*40 mm



SD 210 MD

Kapak (Cover):90*220*40 mm




SD 225

Kapak (Cover):90*220*40 mm



SD 215

Kapak (Cover):90*220*40 mm



SLD 230

Kapak (Cover):100*250*40 mm



SIVA ÜSTÜ KAT BUTONYERLERİ

SURFACE MOUNT LANDING OPERATION PANELS

SL 110

Kapak (Cover):100*250*25 mm



SL 120

Kapak (Cover):100*250*25 mm



SL 145 BD

Kapak (Cover):100*250*25 mm



SL 145 X

Kapak (Cover):100*250*25 mm



SL 155 X

Kapak (Cover):100*250*25 mm



SL 160

Kapak (Cover):100*250*25 mm



SIVA ÜSTÜ KAT BUTONYER ÖZELLİKLERİ

- 304 Kalite Paslanmaz Çelik Kapak.
- Tüm Elemanlar Kapağa Montajlı.
- Paslanmaz Basma Alanı.
- Tactile Ve Mikro Siviç Buton.
- Kabartma Rakam Ve Harfler. (İşaretleme)
- Aydınlatma Uzun Ömürlü 12 / 24 V. Led. (Kırmızı, Mavi, Yeşil, Beyaz)
- Homojen Aydınlatma.
- 20- 30mm 7 Segment Display. (Yön Okları, Servis Dışı, Meşgul) 12/24v. (Kırmızı, Mavi, Yeşil, Beyaz)
- 30mm Dot Matrix Display. (Opsiyonel)
- Mavi – Beyaz Grafik Lcd Gösterge (Opsiyonel)
- Mavi – Beyaz Alfanumerik Lcd Gösterge (Opsiyonel)
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- Dayanıklı Akrilik Gösterge Pencereleeri.
- Yüzeğe Kolay Monta

OPERATION PANELS SPECIFICATION

- 304 Grade Stainless Steel Cover.
- All Components Mounted To The Cover.
- Stainless Press Area.
- Tactile Switch And Micro Switch Button Models.
- Emboss Numbers And Letters. (Signs)
- Long-Life And Neglected Lighting 12/24 V. Led. (Red, Blue, Green, Yellow, White)
- Homogen Illuminating.
- 20-30mm 7 Segment Display. (Direction Arrows, Out Of Order, Busy) (Red, Blue, Green, Yellow, White)
- 30mm Dot Matrix Display. (Optional)
- Blue-White Graphic Lcd Screen. (Optional)
- Blue-White Alphanumeric Lcd Screen. (Optional)
- Parallel Installation Or Ready Installation Option
- Resistant Acrylic Screen.
- Easy Surface Mounting

DOKUNMATİK KABİN BUTONYERLERİ TOUCH GLASS CAR OPERATION PANELS

BUTON YER ÖZELLİKLERİ


- 4-6mm Temperli cam yüzey.
- Tüm elemanlar kapağa montajlı.
- Dokunmatik buton sistemi.
- Çift renk güçlü homojen aydınlatma
- Aydınlatma uzun ömürlü bakımsız Led 24 v. (kırmızı, mavi, yeşil, sarı beyaz)
- 7segment, dotmatrix ve LCD display seçenekleri.
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- Galvenize metal kutu.

OPERATION PANEL SPECIFICATION

- 4-6mm tempered glass surface.
- All components mounted to the cover.
- Touch button system.
- Double color high Homogen illumination
- Long-Life and neglected lighting 12v/24v. (red, blue, green, yellow white)
- 7segment dot matrix display and LCD screen options.
- Parallel Installation Or Ready Installation Option
- Galvanize metal box


GT 610 TFT

Kapak (Cover) :250*2000mm
Kutu (Box) :220*1890mm




GTS 520 DM

Kapak (Cover) :185*1100*27mm




GT 520 A

Kapak (Cover) :200*1000mm
Kutu (Box) :160*910mm



GTS 210 DM

Kapak (Cover) :185*350*27mm



GTS 140

Kapak (Cover) :185*350*27mm



BUTON YER ÖZELLİKLERİ

- 4-6mm Temperli cam yüzey.
- Tüm elemanlar kapağa montajlı.
- Dokunmatik buton sistemi.
- Çift renk güçlü homojen aydınlatma
- Aydınlatma uzun ömürlü bakımsız Led 24 v. (kırmızı, mavi, yeşil, sarı beyaz)
- 7segment, dotmatrix ve LCD display seçenekleri.
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- Galvenize metal kutu.

OPERATION PANEL SPECIFICATION

- 4-6mm tempered glass surface.
- All components mounted to the cover.
- Touch button system.
- Double color high Homogen illumination
- Long-Life and neglected lighting 12v/24v. (red, blue, green, yellow white)
- 7segment dot matrix display and LCD screen options.
- Parallel Installation Or Ready Installation Option
- Galvanize metal box

GD 150

Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

**GD 160**

Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

**GD 120**


Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

**GT 100**

Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

GT 105

Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

GT 130 DM

Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

GT 130 A


Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

GT 140

Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

GT 140 DM

Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm

GT 210 A

Kapak (Cover) :200*350mm
Kutu (Box) :140*270mm

GT 220 G

Kapak (Cover) :200*350mm
Kutu (Box) :140*270mm

İTFAİYECİ ASANSÖRLERİ FIRE FIGHTERS LIFTS

İTFAİYECİ ASANSÖRLERİ

- 304 Kalite Paslanmaz
- Tüm Elemenlar Kapağa Montajlı
- Homojen Aydınlatma
- 45-57mm 7segment Display.
- (Yön Okları, Kırmızı, Mavi, Yeşil, Sarı, Beyaz)
- 30-50mm Dot Matrix Display. (Opsiyonel)
- Mavi – Beyaz Grafik Lcd Gösterge (Opsiyonel)
- Mavi – Beyaz Alfamerik Lcd Gösterge (Opsiyonel)
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- İtfaiyeci Anahtarı
- İtfaiyeci İntercom Haberleşme Sistemi
- Neme Karşı Dayanıklı (Ipx3)
- En 81-72/73 Standartlarına Uygunluk

FIRE FIGHTERS LIFTS SPECIFICATION

- 304 Grade Stainless Steel Cover.
- All Components Mounted To The Cover.
- Homogen Illuminating.
- 45-57mm 7 Segment Display. (Direction Arrows, Red, Blue, Green, Yellow, White)
- 30-50mm Dot Matrix Display. (Optional)
- Blue-White Graphic Lcd Screen. (Optional)
- Blue-White Alphanumeric Lcd Screen. (Optional)
- Parallel Installation Or Ready Installation Option
- Fireman Key
- Fire Fighter Intercom Communication System
- Moisture Resistant (Ipx3)
- Compliance With En 81-72/73 Standards



Yolcu ve yük asansörleri için özel uygulamalar İtfaiyeci asansörleri
Particular applications for passenger and goods passenger lifts Firefighters lifts

Y120

Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm




Y170 A

Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm



Y110 A

Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm




Y110

Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm



Y170 G

Kapak (Cover) :100*350mm
Kutu (Box) :70*270mm



Y520

Kapak (Cover) :200*1100mm
Kutu (Box) :160*1010mm



ANTİVANDAL BUTONYERLER

ANTİVANDAL BUTTONS

V 600 DM

Kapak (Cover) :250*1980mm
Kutu (Box) :220*1890mm



V 150

Kapak (Cover) :100*350mm
Kutu (Box) :85*270mm



ANTİVANDAL BUTONYERLER ÖZELLİKLERİ


- 304 Kalite Paslanmaz
- Tüm Elemanlar Kapağa Montajlı
- Homojen Aydınlatma
- 45-57mm 7segment Display. (Yön Okları, Kırmızı, Mavi, Yeşil, Sarı, Beyaz)
- 30-50mm Dot Matrix Display. (Opsiyonel)
- Mavi – Beyaz Grafik Lcd Gösterge (Opsiyonel)
- Mavi – Beyaz Alfanumerik Lcd Gösterge (Opsiyonel)
- Sıva Altı Ve Sıva Üstü Montaj Seçeneği
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- Darbeye Dayanıklı Mataraylar Ve Butonlar
- Neme Karşı Dayanıklı (Ipx3)
- En 81-71 Standartlarına Uygunluk

ANTİVANDAL BUTTONS SPECIFICATION

- 304 Grade Stainless Steel Cover.
- All Components Mounted To The Cover.
- Homogen Illuminating
- 45-57mm 7 Segment Display. (Direction Arrows, Red, Blue, Green, Yellow, White)
- 30-50mm Dot Matrix Display. (Optional)
- Blue-White Graphic Lcd Screen. (Optional)
- Blue-White Alphanumeric Lcd Screen. (Optional)
- Finish And Surface Mount Optron
- Parallel Installation Or Ready Installation Option
- Impact Resistant Materials And Buttons
- Moisture Resistant (Ipx3)
- Compliance With En 81-71 Standards

V 120

Kapak (Cover) :100*300mm
Kutu (Box) :85*250 mm



SV 110

Kapak (Cover) :100*250*25mm



V 110

Kapak (Cover) :100*300mm
Kutu (Box) :85*250 mm



SV 145 DM

Kapak (Cover) :100*250*25mm



Kasıtlı tahribata karşı dayanıklı asansörler
Vandal resistant lifts



KABİN BUTONYERLERİ

CAR OPERATION PANELS

KABİN BUTON YERİ ÖZELLİKLERİ

- 304 Paslanmaz çelik kapak.
- Tüm elemanlar kapağa montajlı.
- Paslanmaz basma alanı.
- Tactile ve mikro siviç buton.
- Kabartma rakam ve harfler. (isaretleme)
- Aydınlatma uzun ömürlü 12 / 24 v. Led. (kırmızı, mavi, yeşil, sarı, beyaz)
- Homojen aydınlatma.
- 38-45-57mm 7segment display. (yön oku) 12/24 v. (kırmızı, mavi, yeşil, sarı, beyaz)
- 30-50mm dot matrix display. (opsiyonel)
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- Mavi – beyaz grafik LCD Gösterge (opsiyonel)
- Mavi – beyaz alfanumerik LCD Gösterge (opsiyonel)
- Dayanıklı akrilik gösterge pencereleri.
- TFT LCD display (opsiyonel)
- Galvanize metal kutu.

CAR OPERATION PANELS SPECIFICATION

- 304 stainless steel cover.
- All components mounted to the cover.
- Stainless pressing area.
- Tactile switch and micro switch button models.
- Emboss numbers and letters. (signs)
- Long-Life and neglected lighting 12/24 v. Led. (red, blue, green, yellow, white)
- Homogen illumination.
- 38-45-57mm 7 segment display. (direction arrow) (red, blue, green, yellow, white)
- 30-50mm dot matrix display. (optional)
- Parallel Installation Or Ready Installation Option
- Blue-white graphic LCD screen. (optional)
- Blue-white alphanumeric LCD screen. (optional)
- Resistant acrylic screen
- TFT LCD display (optional)
- Galvanize metal box.


K500

Kapak (Cover) :150*1000mm
Kutu (Box) :110*910mm



K520

Kapak (Cover) :170*1000mm
Kutu (Box) :140*910mm



K550 G

Kapak (Cover) :190*1000mm
Kutu (Box) :160*910mm



KABIN BUTONYERLERİ
CAR OPERATION PANELS

K 600 DM

Kapak (Cover) :170*1980mm
Kutu (Box) :140*1890mm



K 650 G

Kapak (Cover) :195*1980mm
Kutu (Box) :160*1890mm



K 690 TFT

Kapak (Cover) :250*1980mm
Kutu (Box) :220*1890mm



K 800

Kapak (Cover) :200*1980mm
Kutu (Box) :160*1890mm



K 810 G

Kapak (Cover) :200*1980mm
Kutu (Box) :160*1890mm




KAT BUTONYERLERİ

LANDING OPERATION PANELS


K 210

Kapak (Cover) :170*350mm
Kutu (Box) :140*270mm



K 215 8D

Kapak (Cover) :170*350mm
Kutu (Box) :140*270mm



K 220

Kapak (Cover) :170*390 mm
Kutu (Box) :140*310 mm



K 270 A

Kapak (Cover) :170*250mm
Kutu (Box) :140*170mm



K 255 8D

Kapak (Cover) :170*250mm
Kutu (Box) :140*170mm



K 260 8D

Kapak (Cover) :170*350mm
Kutu (Box) :140*270mm




KAT BUTONYERLERİ
LANDING OPERATION PANELS



Kapak (Cover) :90*180mm
Kutu (Box) :70*100mm

Kapak (Cover) :90*250mm / Kutu (Box) :70*170mm




Kapak (Cover) :90*350mm / Kutu (Box) :70*270mm

Kapak (Cover) :90*390mm
Kutu (Box) :70*310mm

KABİN BUTONYERLERİ CAR OPERATION PANELS

K 620 G

Kapak (Cover) :380*1980mm
Kutu (Box) :350*1890mm




K 660 G

Kapak (Cover) :380*1980mm
Kutu (Box) :350*1890mm



K 680 TFT

Kapak (Cover) :380*1980mm
Kutu (Box) :350*1890mm



EN
81-28

Yolcu ve yük asansörlerinde uzaktan alarm
Remote alarm of passenger and freight elevators.

- Boy panellerde kullanılan aydınlatmalar, uzun ömürlü ve enerji tasarrufu sağlayan led diyotlarla sağlanmıştır. Üzerindeki koruma camları darbeye dayanıklı özel malmmeden üretilmiştir.
- The lights on the car operation panels are long life led which save energy. The material of light cover is produced with durable special material.

KAPI ÜSTÜ GÖSTERGELER

LANDING INDICATOR PANELS

KAPI ÜSTÜ GÖSTERGE ÖZELLİKLERİ

- 304 Kalite Paslanmaz Çelik Kapak.
- Tüm Elemanlar Kapağa Montajlı.
- Homojen Aydınlatma.
- 38-45mm 7segment Display. (Yön Okları) (Kırmızı, Mavi, Yeşil, Sarı, Beyaz)
- 30-50mm Dot Matrix Display. (Opsiyonel)
- Paralel Tesisat Veya Hazır Tesisat Seçeneği
- Mavi – Beyaz Grafik Lcd Gösterge (Opsiyonel)
- Mavi – Beyaz Alfanumerik Lcd Gösterge (Opsiyonel)
- Dayanıklı Akirlik Gösterge Pencereleeri.
- Yüzeğe Kolay Montaj.


LANDING INDICATOR PANELS

- 304 Grade Stainless Steel Cover.
- All Components Mounted To The Cover.
- Homogen Illuminating.
- 38-45mm 7 Segment Display. (Direction Arrows) (Red, Blue, Green, Yellow, White)
- 30-50mm Dot Matrix Display. (Optional)
- Parallel Installation Or Ready Installation Option
- Blue-White Graphic Lcd Screen. (Optional)
- Blue-White Alphanumeric LCD Screen. (Optional)
- Resistant Acrylic Screen
- Easy Surface Mounting.



D 110

Kapak (Cover) :90*350mm
Kutu (Box) : 70*270mm



D 120

Kapak (Cover) :90*350mm
Kutu (Box) : 70*270mm



D 150

Kapak (Cover) :90*350mm
Kutu (Box) : 70*270mm




D 160


Kapak (Cover) :90*350mm
Kutu (Box) :70*270mm

SIVA ÜSTÜ KABİN BUTONYERLERİ SURFACE MOUNT CAR OPERATION PANELS


F520 A
Kapak (Cover) 190*1000*30mm



F520 MD
Kapak (Cover) 190*1000*30mm



F600
Kapak (Cover) 190*1980*30mm



F990
Kapak (Cover) :1000*145*85 mm



Engelliler dahil yolcu asansörleri için erişebilirlik.
Accto lifts for persons including persons with disabilityessibility.



Mevcut yolcu ve yük asansörlerinin güvenliğini geliştirme kuralları
Improves the security of existing passenger and freight elevators.

SIVA ÜSTÜ KAT BUTONYERLERİ
SURFACE MOUNT LANDING OPERATION PANELS

F140
Kapak (Cover) 105*350*27mm



F170
Kapak (Cover) 105*350*27mm



F320
Kapak (Cover) 105*350*27mm



F250
Kapak (Cover) :190*290*27mm



F270
Kapak (Cover) :190*290*27mm



F260
Kapak (Cover) :190*350*27mm



SIVA ÜSTÜ KAT BUTONYERLERİ VE KAPI ÜSTÜ KAT GÖSTERGELERİ

SURFACE MOUNT LANDING OPERATION PANELS & LANDING INDICATOR PANELS


E210 MD

Kapak (Cover) : 93*200*25mm



E215 MD

Kapak (Cover) : 93*200*25mm



E220

Kapak (Cover) :
93*200*25mm




E145X

Kapak (Cover) 80*250*17mm




E155

Kapak (Cover) 80*250*17mm



E160

Kapak (Cover) 80*250*17mm




E110

Kapak (Cover)
80*160*17mm




E120

Kapak (Cover)
80*160*17mm



E145

Kapak (Cover)
80*200*17mm




E155

Kapak (Cover)
80*200*17mm




E160

Kapak (Cover)
80*200*17mm




BI-STABLE/MONO MAGNETIC SWITCH

TEMAS (BAĞLANTI) ORANI / CONTACT RATING	1 W / 10 VA
ANAHTARLAMA AKIMI / SWITCHING CURRENT	1000 mA
ANAHTARLAMA VOLTAJİ / SWITCHING VOLTAGE	180 VDC / 130 VAC
TEMAS DİRENCİ / STATIC CONTACT RESISTANCE (INITIAL)	60 - 150 M
ÇALIŞMA ZAMANI / OPERATE TIME (INCI,BOUNCE)	Max. 1.0 ms.
BIRAKMA ZAMANI / RELEASE TIME	0.4 ms.
TİTREŞİM / VIBRATION	50 - 2000 Hz - 20 g
ÇALIŞMA SICAKLIĞI / OPERATING TEMPERATURE	-40 + 125 °C
KONTAKT ÖZELLİĞİ / CONTACT SPECIFICATIONS	180 VDC / 130 VAC
ÖLÇÜLER / DIMENSION	115 mm x 18 mm
KABLO UZUNLUĞU / CABLE LENGHT	120 cm
MONTAJ / MOUNTING	Plastic stand
ÇALIŞMA MESAFESİ / OPERATING DISTANCE	10 mm - 40 mm






Positions of the contacts of the switch against magnet Mounting of the bi-stable switch on the cabin



POWER BI-STABLE/MONO MAGNETIC SWITCH

TEMAS (BAĞLANTI) ORANI / CONTACT RATING	250W/VA
ANAHTARLAMA AKIMI / SWITCHING CURRENT	5 A
ANAHTARLAMA VOLTAJİ / SWITCHING VOLTAGE	250 VAC / 250 VDC
TEMAS DİRENCİ / STATIC CONTACT RESISTANCE (INITIAL)	300M OHM.
ÇALIŞMA ZAMANI / OPERATE TIME (INCI,BOUNCE)	MAX. 2.0 MS.
BIRAKMA ZAMANI / RELEASE TIME	1.0 MS.
TİTREŞİM / VIBRATION	50 - 2000 HZ-10 G
ÇALIŞMA SICAKLIĞI / OPERATING TEMPERATURE	-60 +100
KONTAKT ÖZELLİĞİ / CONTACT SPECIFICATIONS	250 VAC / 250 VDC
ÖLÇÜLER / DIMENSION	115 MM. X 18 MM.
KABLO UZUNLUĞU / CABLE LENGHT	1.15 CM.
MONTAJ / MOUNTING	PLASTIC STAND
ÇALIŞMA MESAFESİ / OPERATING DISTANCE	10 MM. - 30 MM.



Positions of the contacts of the switch against magnet Mounting of the mono stable switch on the cabin


ELECTRONIC MONO STABLE MAGNETIC SWITCH

ÇALIŞMA VOLTAJİ/OPERATING VOLTAGE	12 / 45 V
ÇALIŞMA SICAKLIĞI/OPERATING TEMPERATURE	-40 / +125 C °
FREKANS / FREQUENCY	100 Hz
ÇALIŞMA AKIMI / CIRCUIT CURRENT LIMIT	0,7 A
ÖLÇÜLER /DIMENSION	115 mm x 18 mm
KABLO UZUNLUĞU / CABLE LENGHT	120 cm
MONTAJ / MOUNTING	Metal stand
ÇALIŞMA MESAFESİ / OPERATING DISTANCE	10 - 30 mm

ARCODE CAN-BUS SYSTEM

SERİ HABERLEŞME SİSTEMİ

SERIAL COMMUNICATION SYSTEM



ARCODE ÖZELLİKLERİ

- 64 durak tek/çift yön toplama 4m/s kabin hızı
- Dişli ve dişsiz makinelerle çalışma
- Grup kumanda ile 8 asansöre kadar çalışma özelliği
- Can-bus hattı üzerinden seri kabin haberleşmesi
- Can-bus hattı üzerinden seri kat haberleşmesi
- Enkoder sistemle kabin pozisyon bilgisi
- Her tür otomatik kapı kontrolü
- Kat ve kabin butonyer için göstere seçenekleri (7 segment, dot matrix göstergeler)
- Otomatik kata getirme
- Programlanabilir giriş – çıkışlar
- Can-bus hattına bağlanan el terminal ile ARCODE' u kumanda edebilme
- Test fonksiyonları
- EN 81-1/2+A3 standartlara uyumluluk

ARCODE SPECIFICATION


- Up to 4m/s car speed
- Up to 64 stops double bottom
- Up to 8 cars group control option
- Serial car connection with Can-bus
- Serial LOP connection with Can-bus
- Car poston data with encoder system
- Door operator control with all models
- Display choose for COP and LOP
- Automaitc rescue operation system
- Programmable inputs and outputs
- Control from Can-bus by hand terminal
- Harmonized EN 81-1/2+A3 standards

Kumanda Panosu
Control Cabinet
MLCOMBO-X



MLKLM50S-R KLEMENS KARTI
/ TERMINAL BOARD

Kat Buton Yerleri
LOP




CAN BUS Kat Tesisi
Can Bus Floor Installation

CAN BUS BAĞLANTI KARTI
CAN BUS COMMUNICATION
KXCBA



MLKABIN-R50
KABIN SERİ HABERLEŞME KARTI
CAR SERIAL COMMUNICATION CARD



CX-GOP
KABIN BUTONU
KONTROL KARTI
GOP (Car Operating Panel)
Car Control Card

Soketli Yassı Kablo
Flat Cable With Socket

MİKROLİFT MLCOMBO-X ÖZELLİKLERİ


- 32 durağa kadar can-bus haberleşme dönüşümü sağlar.
- Asansörün tüm hareketlerinin (opsiyonel) müşteri CLOUD'una depolanması
- Tüm emniyet devresi sinyallerinin LED ile izlenmesi
- EN81-20 Standardı'na uygunluk
- Minimum ve basit parametrelerle kolay devreye alma
- Cep telefonu ile parametre girişi, izleme...
- Can-bus hattı üzerinden seri kabin haberleşmesi
- Can-bus hattı üzerinden seri kat haberleşmesi
- Her tür otomatik kapı kontrolü
- Kat ve kabin butonları için gösterge seçenekleri (LCD ve dotmatrix göstergeler)
- Programlanabilir giriş - çıkışlar

MİKROLİFT MLCOMBO-X SPECIFICATION


- Provides can-bus communication conversion up to 32 stops
- Storing allelevator movements (optional) incustomer cloud
- Monitoring all safety circuit signals by LED
- Suitable with EN81-20 Standard
- Easy set up and installation with minimum and simple parameters
- Parameter entry and monitoring via mobile phone
- Serial GOP connection with Can-bus
- Serial LOP connection with Can-bus
- Door operator control with all models
- Display choose for GOP and LOP(LCD ve dotmatrix indicator)
- Programmable in putsand outputs

BUTONLAR / BUTTONS


BS SERIES BUTTONS




C SERIES BUTTONS




D SERIES BUTTONS



D SERIES BUTTONS



E SERIES BUTTONS



- Butonların çevre ve karakterleri 4 adet led ile homojen olarak aydınlatılmaktadır. Belirtilen renk seçenekleri ile üretilmektedir.
- Kabin buton yerlerinde bulunan çıkış katı butonu EN 81-70 standardına göre üretilmektedir.
- Butonlarda bulunan yazılar ve harfler 0,7 mm. yüksekliğindedir.

- Button the characters and frame is illuminated Homogenly with 4 LEDs, specified colors are produced.
- Exit button in the cabin panel are manufactured according to EN81-70 standart
- All characters which are on push button are 0,7mm height



GÖSTERGE ÇEŞİTLERİ VE OPSİYONEL PARÇALAR

INDICATOR TYPES & OPTIONAL PARTS

TFT LCD 7"-10"
GT7
GT10



GRAPHIC LCD 240128
240*128 Pixel



GRAPHIC LCD 12864
240*64 Pixel




ALPHANUMERIC DOT LCD 50*70mm
LC001



ALPHANUMERIC LCD 40*85mm
LC002



ALPHANUMERIC LCD 110*60mm
LC003



GÜVENLİK MODÜLÜ
SECURITY MODULE
ASX01




SIVA ÜSTÜ ŞİFRE TAKIMI
SURFACE MOUNT PASSWORD PANEL
SP01



KART OKUYUCU VE ŞİFRE PANELİ
RFID CARD READER AND
PASSWORD PANEL
SP02



KARTLI GEÇİŞ MODÜLÜ
PROXIMITY ACES CONTROL MODULE
AXRF01



INTERKOM
INTERCOM
INT01



INTERKOM
INTERCOM
INT02




VATMAN ANAHTARI
VATMAN KEY
VT01/VT02




İTFAİYECİ YANGIN ANAHTARI
FIRE KEY
FK01



RESET ANAHTARI
RESET KEY
RST01





We are
pro-
ducing
for the
world...

www.kayatec.com.tr



Discover
the potential

- 📍 Esenevler Mah. Yunus Emre Cad.
Bronz Sk. No: 7 34762
Ümraniye / İSTANBUL / TURKEY
- ☎ +90 216 523 07 30 /+90 216 523 07 47
- 📠 +90 216 523 29 19
- 🌐 www.kayatec.com.tr
- ✉ info@kayatec.com.tr
- ✉ sales@kayatec.com.tr